



Weekly overview 3.10.- 7.10. 2022

IMAGE SOURCE: THE MANITOWOC COMPANY, INC., PERI SE, PÖTTINGER Landtechnik GmbH, Caterpillar UK Ltd., Yanmar Compact Equipment, SVAB Hydraulik AB, WIRTGEN GROUP, Hexagon's Heavy Construction Solutions; Leica Geosystems, Cargotec Corporation; Hiab

Weekly overview 3.10.- 7.10. 2022

7 October 2022 by LECTURA GmbH

LECTURA BrandSurvey: JCB



JCB premium report

IMAGE SOURCE: LECTURA Verlag GmbH

- 5 from 10 survey respondents rated the brand as of premium quality and only 2 from 10 people rated JCB as a basic quality brand
- JCB's dealership network is in general perceived as a very satisfactory brand (37.7%)
- According to 52% of respondents, the most frequently used source of information about JCB is its own website

[Get the free report >>](#)

Two new five-axle Grove all-terrain cranes to feature at bauma 2022



Visitors to bauma 2022 will see two new Grove all-terrain cranes in public for the first time. Both the GMK5150XL and Grove GMK5120L are expected to be popular exhibits at the **Manitowoc** booth. Visitors will be able to view the cranes up close and hear from product experts involved in their design. [Read more >>](#)

Grove GMK5150XL

IMAGE SOURCE: THE MANITOWOC COMPANY, INC.

Safety first – SANY telehandlers for Europe



With the STH1440 and STH1840 telehandlers, **SANY** is launching the first two models of its entirely newly developed telehandler series especially for the European market. The robust powerhouses impress with their high load capacity – they can lift loads of 4,000 kg to a lifting height of up to 18 meters! [Read more >>](#)

Safety first – SANY telehandlers for Europe

IMAGE SOURCE: SANY Europe GmbH

Project-specific PERI solution for new Frankfurt skyscraper



At a height of around 190 m, the new 49-storey office and hotel tower ONE by CA Immo is an integral part of the skyline of Frankfurt's metropolis on the River Main. The skyscraper attracts attention in particular due to its triangular cantilever on the 33rd floor, which is visually reminiscent of the number "1" and lends the building its name. [Read more >>](#)

The large, yet compartmentalised building core was formed using components of the ACS Self-Climbing System.

IMAGE SOURCE: PERI SE

SERVO 4000: The new hitch-mounted reversible plough from Pöttinger



The plough still plays a major role in modern arable farming for controlling weeds and managing crop health. Due to the wide variety of soil types around the world, no machine needs to comply with such a wide range of site-specific conditions as the plough. **Pöttinger**, the arable specialist, is kitted out for...[Read more >>](#)

The best working results with the SERVO 4000 hitch-mounted reversible plough

IMAGE SOURCE: PÖTTINGER Landtechnik GmbH

New E-Fence and Indicate technologies for Cat® 6- to 9-tonne mini hydraulic excavators simplify operation, improve accuracy, reduce costs and help operators work more safely



Caterpillar introduces two new Mini Hydraulic Excavator (MHE) Ease of Use technologies – Indicate and E-Fence – for the Cat® 306 CR, 308 CR and 309 CR next generation mini hydraulic excavators. New to Cat mini excavators, Ease of Use E-Fence constrains machine motion... [Read more >>](#)

Cat 308 CR Mini Excavator using MHE Ease of Use features during septic installation.

IMAGE SOURCE: Caterpillar UK Ltd.

Crossroads at Munich



The construction equipment industry has weathered the storms thrown at it – but is it prepared for what comes next? Bauma is the ideal moment to take stock of the global situation, says Damiano Violi, MD of **Yanmar Compact Equipment EMEA**. ‘The best preparation for tomorrow is doing your best today’, so the saying goes. But working out what is for the best is not as easy as it once was. [Read more >>](#)

Yanmar CE Range

IMAGE SOURCE: Yanmar Compact Equipment

SVAB launches a new control system with an open interface for tiltrotators at the Bauma fair in Munich in October 2022



With the new Open Connect™ control system, **SVAB** wants to facilitate installations and support of tiltrotators, and at the same time make it easier for new markets and machine owners to take advantage of the benefits of a tiltrotator. Open Connect™ is designed for machine manufacturers and dealers who want to be able to offer a standardized control system, and at the same time allow end customers to choose a preferred tiltrotator brand. [Read more >>](#)

Image that in the background shows a choice of the desired tiltrotator brand. In the foreground are the main components of Open Connect.

IMAGE SOURCE: SVAB Hydraulik AB

Reducing the carbon footprint in asphalt production



Working more efficiently with sustainable and economical technologies is the challenge of today and tomorrow. Solutions from **Benninghoven** lower emissions and secure the future of asphalt mixing plant sites. Benninghoven offers a variety of innovative solutions for increasing sustainability in asphalt production. [Read more >>](#)

Benninghoven offers a wide range of “hot and cold” recycling feed systems for reusing reclaimed asphalt. The recycling systems can also be retrofitted on existing asphalt mixing plants.

IMAGE SOURCE: WIRTGEN GROUP

Leica Geosystems launches the Leica iCON site excavator, bringing machine control to compact excavators



Leica Geosystems, part of **Hexagon**, today announced the launch of the new Leica iCON site excavator, a machine-control solution that enables compact excavators to carry out designs easily and accurately. When space is limited, compact excavators are required to get the job done right the first time. [Read more >>](#)

Software versatility enables contractors to utilise their equipment for both on- and off-machine applications

IMAGE SOURCE: Hexagon's Heavy Construction Solutions; Leica Geosystems

Hiab launches HIAB ePTO 44 (Electric Power Take-Off)



Hiab, part of Cargotec, launches HIAB ePTO 44, the second generation Electric Power Take-Off, with a lower weight and longer battery life to provide emission-free power to loader cranes. The second generation ePTO plug-in system offers more power and longer battery life with less weight than its predecessor and is an electric, emission-free, alternative to drawing power from the vehicle's engine. [Read more >>](#)

HIAB X-HiPro 192 with ePTO

IMAGE SOURCE: Cargotec Corporation; Hiab

Source: LECTURA Verlag GmbH